

FIG. 1




FIG. 2





FIG. 3






FIG. 4A




FIG. 4B

2020060120525007




FIG. 5

100092507 \* 030602




FIG. 6

2018-02-07 15:50:00

## DCM-2A Load Rotation “Round Robin” Approach

Rotation Schedule / Matrix Example

		Equipment Group	Equipment ID	Controlled Device ID	Mannual / Auto Indication Address	Equipment Status Address	Currallable Demand (kW)	On/Off Control Address	On/Off Control Command	KW Reset Control Address	Max Currallment Duration (min)	Setting Duration (min)	Revenue Meter Address	Process 1 Limit Min Range	Process 1 Limit Max Range	Process 2 Limit Min Range	Process 2 Limit Max Range	Process 3 Limit Min Range	Process 3 Limit Max Range	Equip Meter Address	AND Inclusions	OR Exclusions			
Fountain01	Pump	100	N/A	0	101	1	N/A	30	240	0	10	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	102	N/A			
AHU01	Reheat Bank	120	N/A	0	121	1	N/A	N/A	120	122	65F	70F	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	123	AHJ01	N/A		
AHU02	Reheat Bank	140	N/A	0	141	1	N/A	N/A	140	142	65F	70F	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	143	AHJ02	N/A		
AHV01	SF VFD	160	161	1	163	0,30	10	165	165	70F	78F	167	30%	80%	169	Oppd	1200rpm	Oppd	1200rpm	Oppd	170	N/A	N/A		
AHV02	SF VFD	180	181	1	182	1	183	0,35	10	185	185	70F	78F	187	30%	80%	189	Oppd	1200rpm	Oppd	1200rpm	Oppd	190	N/A	N/A
AHV04	SF VFD	200	201	1	203	0,20	10	205	205	70F	78F	207	30%	80%	209	Oppd	1200rpm	Oppd	1200rpm	Oppd	210	N/A	AHJ05		
AHV03	SF VFD	220	221	10	222	0	223	0,30	10	225	225	70F	78F	227	30%	80%	229	Oppd	1200rpm	Oppd	1200rpm	Oppd	230	N/A	N/A
AHV05	SF VFD	240	241	10	242	0	243	0,35	10	245	245	70F	78F	247	30%	80%	249	Oppd	1200rpm	Oppd	1200rpm	Oppd	250	N/A	AHJ04
AHV06	SF VFD	260	261	10	262	0	263	0,20	10	265	265	70F	78F	267	30%	80%	269	Oppd	1200rpm	Oppd	1200rpm	Oppd	270	N/A	N/A

Settings to be updated by Device IA

Rotation groups to be updated by Portfolio IA

Fig. 7